

FORM PTO-892 (REV. 2-92)		U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE		SERIAL NO.	GROUP/ART UNIT	ATTACHMENT TO PAPER NUMBER	4	
NOTICE OF REFERENCES CITED				08/447 820	1815 1643	EKINS		
U.S. PATENT DOCUMENTS								
*	DOCUMENT NO.	DATE	NAME	CLASS	SUB-CLASS	FILING DATE IF APPROPRIATE		
A	5432099	7/1995	EKINS	436	518			
B	4385126	5/1983	CHEN ET AL.	436	518			
C								
D								
E								
F								
G								
H								
I								
J								
K								
FOREIGN PATENT DOCUMENTS								
*	DOCUMENT NO.	DATE	COUNTRY	NAME	CLASS	SUB-CLASS	PERTINENT SHTS. DWG	PP. SPEC.
L	8401031	3/1984	WO	EKINS	GOIN	33/54		
M	8801058	2/1988	WO	EKINS	GOIN	33/543		
N								
O								
P								
Q								
OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.)								
R	WHITE ET AL., "AN EVALUATION OF CONFOCAL VERSUS CONVENTIONAL IMAGING . . .," J Cell BIOL 105: 41-48 (1987).							
S	EKINS ET AL., "DEVELOPMENT OF MICROSPOT MULTI-ANALYTIC RADIOMETER . . .," ANAL CHIM ACTA 227:73-96 (1989).							
T								
U								
EXAMINER		DATE						
Woodward		10/14/96						
* A copy of this reference is not being furnished with this office action. (See Manual of Patent Examining Procedure, section 707.05 (a).)								